

NOTES

1. ALL CASEWORK SHALL BE PLASTIC LAMINATED.

KEY NOTES

1. TWO DOORS ARE OPTIONAL, PROVIDE AT LEAST ONE.
2. HANDICAP ACCESSIBLE COUNTER.
3. OVERHEAD COILING DOOR IS OPTIONAL.
4. PROVIDE GROMMET IN COUNTERTOP BELOW.

RECEPTION/CONTROL OUTPATIENT (RECP1) 3.01.06

PRIMARY CARE/FAMILY PRACTICE


FLOOR/EQUIPMENT PLAN 13.56 NSM (146 NSF)

DATE: 01/28/2002

0 1000 2000



1:50 SCALE (MILLIMETERS)



KEY NOTES

1. OVERHEAD COILING DOOR IS OPTIONAL.

RECEPTION/CONTROL OUTPATIENT (RECP1) 3.01.06

PRIMARY CARE/FAMILY PRACTICE


CEILING PLAN

DATE: 01/28/2002


0 1000 2000



1:50 SCALE (MILLIMETERS)



NORTH



SOUTH

KEY NOTES

1. SUPPORT BRACKET.
2. END PANEL.
3. PROVIDE GROMMET IN COUNTERTOP.

RECEPTION/CONTROL OUTPATIENT (RECP1) 3.01.06

PRIMARY CARE/FAMILY PRACTICE


ELEVATIONS

DATE: 01/28/2002

0 1000 2000



1:50 SCALE (MILLIMETERS)



RECEPTION/CONTROL OUTPATIENT (RECP1) 3.01.06

PRIMARY CARE/FAMILY PRACTICE

ELEVATIONS

DATE: 01/28/2002

0 1000 2000



1:50 SCALE (MILLIMETERS)

Medical Equipment Room Guide Plates

3.01 Primary Care/Family Practice

Plate Number 3.01.06

Room Name RECEPTION/CONTROL OUTPATIENT

SEPS # RECP1

JSN	Nomenclature	Qty	Army	Navy	AF	Utilities					
			Cat	Cat	Cat	1	2	3	4	5	6
C0038	Rail, Apron, 4x42x1	2	A	A	A
C0039	Rail, Apron, 4x48x1	1	A	A	A
C0045	Frame, Apron, 1 Drawer, 4x36x22	1	A	A	A
C0046	Frame, Apron, 2 Drawer, 4x48x22	2	A	A	A
C06M0	Cabinet, U/C/B, 1 PBD, 2 DR, 1 File DR, 30x18x22	2	A	A	A
CT030	Countertop, High Pressure Laminate	2	A	A	A
F0280	Chair, Swivel, Low Back	2	C	C	C
F0420	Cabinet, Filing, Lateral, Half Height	3	C	C	C
F2000	Basket, Wastepaper, Round, Metal, 18 H x 16 Dia.	2	C	C	C
F3200	Clock, Battery, 12" Diameter	1	C	C	C
M1605	Holder, Chart, 20 Each	1	C	C	C
M1800	Computer, Microprocessing	2	C	C	C	.	A
M1820	Imprinter, Data Record, Electric	1	C	C	C	.	A
M1825	Printer, Computer	1	C	C	C	.	A
M1850	Typewriter, Electric	1	C	C	C	.	A
M1855	Facsimile Machine	1	C	C	C	.	A